Product code: SYSBY01CPCPB
EAN: 5902539879582

OMNIRES

# BEYOND | thermostatic shower system for concealed installation

**Finish: polished copper / brushed (CPCPB)**



Designed by Maja Ganszyniec, BEYOND is part of the OMNIRES Signature Collection – a portfolio representing the fullest expression of the brand's design ambitions. Its distinctive form draws on modernism, combining clarity of geometry with subtle understated curves. The round knobs, designed installed without a shared rosette, form a composition of exceptional visual lightness, while the minimalist hand shower and shower head lend it a harmonious architectural character. Gently aerated water envelops the skin in a velvety embrace, bringing a sensual, soothing dimension to everyday rituals.

The system is made from high-grade brass and fitted with a high-quality thermostatic cartridge, combining durability with reliable performance. Every element is designed for intuitive operation and everyday comfort. Two independent knobs allow the shower head and hand shower to be operated separately, while also enabling both functions to be used simultaneously. The hand shower holder incorporates a compact shelf for toiletries, creating a functional solution with a minimalist form.

The DRIPLOCK® technology integrated into the shower head stops the water flow immediately after the shower is turned off, eliminating unwanted dripping. The flow regulator in the hand shower reduces water consumption without compromising user comfort.

Copper is a refined finish with a warm, reddish-brown hue. The distinctive combination of polished and brushed textures across different surfaces creates a subtle play of shifting light reflections, highlighting the depth of the colour and the precision of every detail. The coating was produced using advanced PVD technology.

Design: Maja Ganszyniec, Maja Ganszyniec Studio
Awards: Red Dot Design Award 2025, German Design Award 2027

Certificates: Polish Declaration of Performance (B marking), Polish Hygienic Certificate PZH

## Technologies

The mixer is equipped with the highest quality thermostatic cartridge incorporating a 38°C lock. The cartridge protects against sudden temperature changes and guarantees long term product performance.

The EASY CLEAN nozzles allow the user to easily remove any limescale from the shower head and the hand shower by simply wiping their silicone surface.

The product is made of high quality A-grade brass.

A shower head equipped with DRIPLOCK® technology instantly stops the water flow as soon as the shower is turned off, eliminating residual dripping. By limiting water contact with the silicone nozzles, the technology reduces the risk of limescale build-up, helping to preserve the shower head's appearance and long-term performance.

The product is coated using the advanced PVD technology which guarantees the highest possible durability and facilitates cleaning.

## Flow characteristics

- working pressure 1-5 bar
- water flow at 3 bar: 10,94 / 8,78 l/min

- Acoustic group: U/U
- Flow rate class: A/A

## Specification

- thermostatic shower mixer for concealed installation
- brass shower head with arm, dimensions: ø28 cm, reach from the wall: 35 cm, DRIPLOCK® technology
- brass hand shower, 1-function
- brass flexible shower hose, length: 150 cm
- brass shower elbow with a hand shower bracket
- minimum wall depth: 10.9 cm
- two 3/4" inlets (hot and cold water)
- built-in parts included

## Product care

### HOW TO TAKE CARE OF BATHROOM AND KITCHEN FITTINGS?

You should clean your bathroom and kitchen fittings regularly, preferably after each use, so as to prevent the build-up of hard-to-remove dirt. For daily maintenance of external surfaces, use a soft cloth (for example, a microfibre cloth) and a solution of water with a mild cleaning agent with a natural composition. Hard-to-reach recesses and milled details can be gently cleaned with a soft brush. Then rinse the product thoroughly with clean water and wipe it dry. It is not recommended to use rough or abrasive materials and corrosive or bleaching substances to prevent damaging the surface of the product.

For more stubborn dirt, use a 10% citric acid solution with water. Apply this solution directly to the product or cover the product with a cloth soaked in the solution. After 10 minutes, rinse the product thoroughly with clean water and wipe it dry. If necessary, the process can be repeated.


### HOW TO KEEP THERMOSTATIC MIXERS IN OPTIMAL CONDITION?


For the thermostatic mixer to operate correctly, run the mixer once every two weeks, spanning the full temperature range – from very cold water to the maximum hot water setting. Repeat the operation several times.

### WHAT IS THE BEST WAY TO CARE FOR A HAND SHOWER ?

Remember to regularly wipe the silicone nozzles with your hand to remove any limescale deposits that might be forming on their surface. A toothpick or toothbrush can also be used to clean the spaces in between if there is a considerable build-up of limescale.

For more stubborn dirt, it is recommended to immerse the hand shower in a 10% citric acid solution with water for about 10 minutes to soften the limescale and then wipe across the nozzles with a soft brush. It is not recommended to use rough or abrasive materials and corrosive or bleaching substances to prevent damaging the surface of the product. From time to time, it is recommended to unscrew the hand shower and flush it from the inside to remove any dirt preventing the flow of water.


∅60
145
2 x ∅60
100
133
∅60
38
217
92
L=1500
350
5
G 1/2"
∅280
2 x G 3/4"
2 x G 1/2"
2 x G 1/2"
25
332
∅120
29
5
min. 109 - max. 129
40
G 1/2"
57


128
∅18
490