

## PARMA | bidet system for concealed installation

---

### Finish: brushed nickel (NI)

The OMNIRES PARMA collection stands out with its minimalist, elegant design. A well-balanced form with rounded edges proves light and subtle. Well thought-out solutions give the collection a timeless character.

Nickel is an industrial finishing in a silvery colour, with a satin, brushed surface. The product is coated using the advanced PVD technology.

Design: Janusz Langner, OMNIRES Studio

Certificates: Polish Declaration of Performance (B marking), Polish Hygienic Certificate PZH



## Technologies

---



High quality ceramic and thermostatic cartridges ensure smooth and precise water flow control, whilst guaranteeing safety and long term product performance.



The product is coated using the advanced PVD technology which guarantees the highest possible durability and facilitates cleaning.



The mixer's body, the valve and the rosette are all made of high quality A-grade brass.

## Flow characteristics

---

- water flow at 3 bar: 5,2 l/min
- hot water supply: max. 90 °C
- working pressure 1-5 bar
- Acoustic group: I

## Specification

---

- bidet mixer for concealed installation, excluding built-in part
- built-in part for bidet mixer for concealed installation
- brass bidet hand shower
- stainless steel flexible shower hose (O22-XNI), length: 125 cm
- after using the product, always shut off the water supply using the mixer or the inside stop cock. Leaving the bidet hand shower pressurized can lead to leakage or damage to the product.

## Product care

---

### How to take care of bathroom and kitchen fittings?

You should clean your bathroom and kitchen fittings regularly, preferably after each use, so as to prevent the build-up of hard-to-remove dirt. For daily maintenance of external surfaces, use a soft cloth (for example, a microfibre cloth) and a solution of water with a mild cleaning agent with a natural composition, then rinse the product thoroughly with clean water and wipe it dry. It is not recommended to use rough or abrasive materials and corrosive or bleaching substances to prevent damaging the surface of the product.

For more stubborn dirt, use a 10% citric acid solution with water. Apply this solution directly to the product or cover the product with a cloth soaked in the solution. After 10 minutes, rinse the product thoroughly with clean water and wipe it dry. If necessary, the process can be repeated.

